



VEHICLE SERVICE EQUIPMENT

Solutions for Industrial and Commercial Applications



PROVEN QUALITY. LEADING TECHNOLOGY.

VEHICLE SERVICE | FLEETS AND TRANSPORTATION | INDUSTRIAL | MINING | CONSTRUCTION | AGRICULTURE

Always Connected: We've built our legacy as a proven industry leader via an end-to-end system of vehicle service equipment – including our flagship pumps, versatile hose reels, intuitive fluid management systems and more. A system featuring products from a single manufacturer simplifies procurement, support,

maintenance and familiarity. Each Graco component works seamlessly to ensure optimal performance. Success with one piece of equipment offers confidence that our entire lineup is designed, engineered, manufactured and supported with the same unfailing attention to quality.

GRACO OFFERS SOLUTIONS FOR:



VEHICLE SERVICE

Graco pumps, hose reels, meters and fluid management systems transform the most common vehicle service task into one of the most profitable. Built to last, our vehicle service equipment performs more consistently, so crews can change, dispense, mix and manage all types of vehicle fluids quickly and confidently.



FLEETS AND TRANSPORTATION

You may have hundreds, or even thousands, of vehicles in the fleet. All of them require scheduled fluid maintenance. Use Graco vehicle service equipment to dispense fluids quickly while tracking activity by department, usage, crew member and more – so you can make fast, smart decisions that reduce operating costs and improve profitability for your fleet.



INDUSTRIAL

Every drop counts. With the importance of uptime magnified, reliable pumps, hose reels and meters have become true performance differentiators from one plant or company to the next. Quality is monetized in the modern facilities, and Graco has a storied history of earning loyalty from our customers through high-quality, connected products proven to work when needed most.



MINING

When you're moving hundreds of tons of earth every hour, your profitability is measured by every second of uptime. Choose Graco to dispense oil and grease to earthmovers, service trucks and other vehicles quickly and safely whether on site, in the workshop or at the processing plant. Track it all with fluid management systems so you can follow every pour – and every dollar.



CONSTRUCTION

Every construction crew is measured by its adherence to an aggressive build timeline. A single delay jeopardizes the entire project – and maybe the next one too. Choose Graco to ensure your crews have proven-to-last tools that can change and monitor fluids accurately and reliably regardless of what unforeseen circumstances pop up on site.



AGRICULTURE

Proper lubrication of your agricultural machinery such as combines, harvesters, sprayers and more is critical to reducing downtime. Savvy maintenance shops can leverage data in new and exciting ways from the workshop to the back office to make faster, more informed decisions that can improve efficiencies, margins and profitability.

Graco Resources

Here at Graco, we take pride in delivering tools and solutions that help you succeed every day. Like any project, the work is never truly finished. From continuous R&D to A+ Customer Service, we're always looking for new ways to bring you value.



Graco.com

Graco's website gives you and your customers an intuitive, next-generation web experience – making it easy to find relevant products, services and solutions, including the Vehicle Services Equipment comprehensive Buyer's Guide.

graco.com/lubricationequipment



Graco University

Graco University is an e-learning module that can be accessed online, anytime, and contains assets that help educate you on Graco products.

training.graco.com



Graco Gear

Graco Gear is your one-stop shop for branded and co-branded merchandise and other tools that will help you build customer relationships.

gracogear.com



Social Media

Engage with us on social! Learn about Graco's new product launches, upcoming events and history. See firsthand unique installations and share your own with us.

@GracoLube
 Graco Lubrication Equipment
 @GracoLube
 Graco Lubrication Equipment
 @gracolubrication





Graco offers a full line of quality equipment to meet the varying needs of vehicle maintenance and repair. Streamline your workflow and move more lubricants through your shop. We offer reliable, high-quality equipment you can depend on for fuel, diesel, antifreeze, oil and grease.

FLUID MANAGEMENT AND CONTROL

PULSE® LEVEL	PULSE® FC	PULSE® PRO
<ul style="list-style-type: none"> Tank-level visibility to help you optimize deliveries Multiple technologies including ultrasonic and pressure Multiple communication options including cellular and Wi-Fi Simple web-based software with no wires to install and access from anywhere Generate customizable reports, alerts and automated e-mails 	<ul style="list-style-type: none"> Control dispenses with pre-filled fluid vouchers Simple PC-based software, no wires to install and pressure Works with mobile roll-around packages and oil bars Complete simultaneous dispenses SDP8/SDP18 meter required [flow rate up to 18 gpm (68 lpm)] 	<ul style="list-style-type: none"> Easily control and manage dispense inventory along with advanced reporting Wireless system tracks all dispenses, which can be viewed on any network device Integrates with popular DMS software systems Wireless tank level monitor records tank levels automatically to avoid the need to manually dip tanks Pump air control automatically shuts off air supply preventing spills and expensive cleanup

FLUID RECLAIM

OIL & COOLANT KING™	OIL ACE™
<ul style="list-style-type: none"> Ideal for automotive dealerships, fast lube centers, service shops, heavy-duty dealerships and fleet service facilities Drain, evacuate and transfer used oil reliably and quickly Large 25 gal (95 l) capacity with built-in sight gauge Convenient tool and filter trays 	<ul style="list-style-type: none"> Ideal for automotive dealerships, fast lube centers, service shops, heavy-duty dealerships and fleet service facilities Easy to drain using pressurized shop air Large 24 gal (91 l) capacity with attached sight gauge Extract oil directly from vehicle with our evacuation models

PUMPS

FAST-BALL® / FAST-FLO®	LD SERIES™ PUMP	FIRE-BALL® PUMPS	GT 750™	DYNA-STAR®/POWER-STAR™	EGP™ TRANSFER AND ON-DEMAND	NXT® SUPPLY SYSTEMS	HUSKY™ DIAPHRAGM PUMPS	LD SERIES™ BLUE PUMPS
<ul style="list-style-type: none"> Ideal for lower-volume, short-run transfers Maximum recommended flow rate of 4-12.5 gpm Ratio for oil: 1:1 	<ul style="list-style-type: none"> Ideal for low- to medium-volume applications Built-in thermal relief to protect product Free-flow rate at 100 psi (6.9 bar): up to 7.8 gpm (30 lpm) Ratios for oil: 3:1, 5:1 Ratio for grease: 50:1 	<ul style="list-style-type: none"> Ideal for low- to medium-volume applications up to demanding high-volume applications In-line, corrosion-resistant design with fewer parts for longer pump life Free-flow rate at 100 psi (6.9 bar): up to 28.7 gpm (109 lpm) Ratios for oil: 3:1, 5:1, 6:1, 10:1 Ratios for grease: 10:1, 15:1, 50:1, 75:1 	<ul style="list-style-type: none"> Ideal for challenging, high-volume applications Available in 35, 120 and 400 lb down tube lengths Free-flow rate at 100 psi (6.9 bar): 32 lbs/min (14.5 kg/min) Ratio for grease: 36:1 	<ul style="list-style-type: none"> Low- to medium-volume applications Flow rate for oil: 3-12 gpm (11-45 lpm) Flow rate for grease: 1.1-4 lb/min (0.5-1.8 kg) Maximum fluid output pressure: 375-2,300 psi (25.1-159 bar) Pump ratios for oil: 1:1, 1/4:1 Pump ratios for grease: 2.4:1, 5:1, 10:1 	<ul style="list-style-type: none"> Versatile electric gear pumps for dispensing motor oils, ATF, gear lube, antifreeze and waste oil Available in 12 VDC and 115 VAC models Industrial-grade electric motors with over-temperature protection On-demand models developed to provide fluid on demand with built in pressure control technology Flow rates up to 8 gpm (30 lpm) 	<ul style="list-style-type: none"> Ideal for bulk transfer – moves fluids fast! 31 gallons of oil or 57 pounds of grease per minute (117 lpm) Ratios for oil: 3.5:1, 4.5:1, 6:1, 10:1, 12:1, 23:1 Ratios for grease: 14:1, 26:1, 29:1, 55:1, 63:1, 68:1 	<ul style="list-style-type: none"> Simple, reliable transfer pumps ideal for oil, used oil, windshield wash, antifreeze, fuel and DEF Flow rates: 7-275 gpm (27-1,041 lpm) Packages designed specifically for pre-mixed windshield wash and DEF application 	<ul style="list-style-type: none"> Dispense DEF solution with choice of electric or manual pump Reliable and cost-effective solutions 120V or 12V electric options Electric: Maximum flow rates up to 9.5 gpm (36.1 lpm) Manual: Fast delivery of 11 oz (0.33 l) per stroke

METERS AND DISPENSE VALVES

GREASE DISPENSE VALVES	SDV15 AND XDV20 CONTROL VALVES	SD SERIES™ MECHANICAL METERS	LDP5 METERS	EM® SERIES METERS	PM SERIES™ METERS	SD SERIES™ METERS	IN-LINE METERS	LD AND SD SERIES™ DEF METER AND VALVES
<ul style="list-style-type: none"> Designed for daily use in dealerships, fleet services and maintenance facilities Non-metered and metered options available Multiple adapters available Pro Shot™: 1/4 in and 3/8 in inlet options; 8,000 psi (552 bar) working pressure Accu-Shot™: 1/4 in inlet; 5,000 psi (345 bar) working pressure 	<ul style="list-style-type: none"> Dispenses motor oils, ATF, gear lube and antifreeze Sturdy-cast body designed for use in tough environments Indoor or outdoor use Multiple extensions available 1,500 psi (103 bar) Flow rates up to 20 gpm (76 lpm) 	<ul style="list-style-type: none"> Dispense motor oils, ATF, gear lube and antifreeze Manual or preset models Indoor and outdoor use Multiple extensions available 1,500 psi (103 bar) Flow rates up to 8 gpm (30 lpm) 	<ul style="list-style-type: none"> Dispense motor oils, ATF, gear lube and antifreeze Preset dispense meter Automatic nozzle Indoor use Multiple extensions available 1,000 psi (69 bar) Flow rates up to 5 gpm (19 lpm) 	<ul style="list-style-type: none"> Dispense motor oils, ATF, gear lube and antifreeze Manual dispense Rugged design for harsh environments Indoor or outdoor use – IP69K rated Multiple extensions available 1,500 psi (103 bar) Flow rates up to 20 gpm (76 lpm) 	<ul style="list-style-type: none"> Dispense motor oils, ATF, gear lube and antifreeze Preset dispense models Rugged construction to handle the most demanding applications Indoor or outdoor use – IP69K rated Multiple extensions available 1,500 psi (103 bar) Flow rates up to 20 gpm (76 lpm) 	<ul style="list-style-type: none"> Dispenses motor oils, ATF, gear lube and antifreeze Manual and preset dispense models Multiple extensions available 1,500 psi (103 bar) Flow rates up to 18 gpm (68 lpm) Durable cast aluminum body Premium LCD display with easy-to-use controls Option to display meter name/fluid type on LCD screen 	<ul style="list-style-type: none"> Dispense motor oils, ATF, gear lube, DEF and antifreeze IM20, SDI15, IM20P Ideal for in-plant and industrial applications Heavy-duty construction for indoor or outdoor use Wired or battery-operated model options to fit your application needs Measure in pints, quarts, liters or gallons Flow rates up to 20 gpm (76 lpm) 	<ul style="list-style-type: none"> Dispense DEF Choose with or without built-in meter Easy-to-install inline design Break-away system for low-cost repairs 50 psi maximum pressure Nozzle flow rates up to 12 gpm (45 lpm) Meter flow rates up to 26.4 gpm (99 lpm)

HOSE AND CORD REELS

SD SERIES™ CORD AND LIGHT REELS	LDX SERIES™	SDX 10 / 20 SERIES™	XDX 10 / 20 AND XD 30 SERIES™	XD 40 / 50 SERIES™	XD 60 / 70 / 80 SERIES™ POWERED REELS
<ul style="list-style-type: none"> High-strength steel construction for professional use Handles cord lengths up to 95 ft (29 m) LED light with optional tool tap receptacle Tri-plug GFCI industrial or single industrial receptacle cord reels Meets UL355, CSA22.2 No. 21 and IP44 standards 	<ul style="list-style-type: none"> Designed for smaller service garages and industrial applications Handles hose lengths up to 50 ft (15 m) All-metal dual-pedestal frame design for robustness and longevity Adjustable arm locations to meet application requirements Ball bearing swivel for smooth operation For indoor use only 	<ul style="list-style-type: none"> Designed for heavy daily use in demanding dealership and fleet maintenance facilities Handles hose lengths up to 65 ft (20 m) Rigid single-pedestal frame that is compact and robust for demanding applications Long-life power spring provides smooth operation and reliable performance For indoor or moderate outdoor use 	<ul style="list-style-type: none"> Designed for harsh, demanding heavy-duty applications Handles hose lengths up to 75 ft (23 m) Heavy-gauge dual-pedestal frame for increased strength and durability Durable steel spool rides on sealed roller bearings to ensure trouble-free performance Heavy-duty power springs are sealed for protection in extreme outdoor applications 	<ul style="list-style-type: none"> Designed for robust, heavy-duty applications Handles hose lengths up to 100 ft (30 m) Fully ported swivel and shaft for unrestricted flow Easy rewind with minimal hose guidance Overhead mounting kit available 	<ul style="list-style-type: none"> Designed for robust, heavy-duty applications with powered rewind Handles hose lengths up to 150 ft (46 m) Hydraulic, electric and pneumatic direct-drive options Fully ported swivel and shaft for unrestricted flow Industrial-grade paint for high abrasion and corrosion resistance



For more information on Graco products, visit graco.com/lubricationequipment.



Every Graco purchase comes
with A+ Customer Service.

Questions?
Call (800) 533-9655

For more information visit [graco.com/lubricationequipment](https://www.graco.com/lubricationequipment)